


Ward Health Profile
Bilborough Ward | *16,792 Ward Residents in 2011*

2014-2015

Quick Statistics

- Bilborough has a total of **16,792** residents
- **7,970** are male (**47.5%**) and **8,822** are female (**52.5%**)
- There were **263** babies born in 2012
- The birth rate was **68** per 1,000 women (aged 11-44), lower than Nottingham City (53)
- **16.8%** of all adults in Bilborough who drink are at a high/increased risk, the highest within Nottingham City
- **55.9%** of all adults are estimated to be overweight/obese, significantly higher than Nottingham City
- Child development at age 5 and GCSE achievement is significantly worse than nationally
- There were **234** deaths of ward residents during 2012
- Life expectancy for males is **74.7 years** which is significantly worse than the national figure
- Life expectancy for females is **78.6 years** which is significantly worse than the national figure
- Bilborough is ranked as the **225th** most deprived out of England's 7,589 wards, and the **4th** most deprived in the City
- There are **5** GP practices within Bilborough, with an additional **2** in close proximity to its border
- There are **3** pharmacies within Bilborough

Deprivation




- **Income deprivation** is the percentage of residents living in households reliant on means tested benefit
- **Child poverty** is the percentage of children (0-15) living in income deprived households
- **Older people in deprivation** is the percentage of residents aged 60+ living in pension credit households

Ward Map



Bilborough is located toward the north west of Nottingham City and is located close to the M1 motorway. It has the city wards of Aspley, Leen Valley and Wollaton West connected to its boundary.


Population



Source: ONS © Crown Copyright 2013, Census 2011 Data

Bilborough has a higher percentage of older people (65+) and children (0-15). Children account for **22.3%** of the ward population. This is compared with **18.2%** for Nottingham City and **18.9%** nationally. Within the ward older people account for **17.4%** of residents compared to **11.6%** for the City and **16.3%** nationally.


Self Reported Health & Care



The ward has a relatively higher percentage of older people (aged 65+) compared to the City. These residents account for **17.4%** in the ward compared to **11.6%** in the City and **16.3%** nationally. Bilborough residents feel that they have worse general health than that of the City and nationally. General health bad or very bad, is significantly higher than the national figure.

A significantly higher percentage of residents feel that they have a limiting long term illness or disability and provide higher levels of unpaid care compared to nationally.

Mosaic Groups




Mosaic groups are a way of segmenting the population into 15 groups based on their common characteristics.

The ward has a high percentage of group 'O' households, acounting for **34.2%** of all households. This group is described as "**Familes in low-rise social housing with high levels of benefit need**". The key features of group 'O' are; disadvantaged, low incomes, unemployment, long term illness, low rise council housing, one parent families, high TV watching and dependence on the state.

Group 'K' account for **26.7%** of households. Group 'K' is described as "**Residents with sufficient incomes in right-to-buy social houses**" with key features such as; council tenants, right to buy, comfortable lifestyles, few qualifications, hard workers, self reliant, little anti-social behaviour, value for money and catalogue mail order.

Nottingham Citizens' Surveys 2011-2013 Health Questions

The Nottingham Citizens' Survey gathers citizens' perceptions on a variety of subjects including health. Around 2,000 citizens take part in the survey each year. The chart below shows health results from the combined 2011-2013 surveys and how Bilborough compares with the rest of the City wards.



	Indicator	Ward Value	City Ward Avg	City Lowest Ward	City Ward Range	City Highest Ward
Health	1 Average mental wellbeing score of residents (WEMWEBS)	51.0	51.2	49.1		52.3
	2 % of residents who smoke	28.6	27.5	8.4		36.5
	3 % of residents who are binge drinkers	21.9	21.6	10.3		35.4
	4 % of residents who are high/increased risk drinkers	16.8	11.7	3.2		16.8
	5 % of residents who are underweight	3.0	3.7	1.3		5.7
	6 % of residents who are overweight/obese	55.9	47.3	25.5		60.7
	7 % of residents who are a healthy weight	41.1	48.9	36.2		71.4

Bilborough has a significantly higher percentage of residents who drink at a high/increased risk - the highest in the City. The ward has a significantly higher percentage of overweight/obese residents and a significantly lower percentage of residents at a healthy weight. Other health indicators are similar to that of the City as a whole.

Each ward indicator result is shown as a circle. The average value for Nottingham's wards are shown by the black line, which is always at the centre of the chart. If a circle is to the right of the black line then the ward's value is higher, if it is to the left of the black line the value is lower.

The range of results for all wards within Nottingham City are shown as a grey bar. A yellow circle means that the wards's value is significantly higher than the City's average, a purple circle indicates that their value is significantly lower. A white circle indicates that even though a value may be higher/lower than the City's average; it is not statistically significantly so.

Public Health England, Local Health Indicators

This chart shows Bilborough's status compared to all of the wards in England, and the England average as the central black line. Of the 24 indicators, 18 are significantly worse than England's average. Deprivation, poverty, unemployment, child development, education attainment and life expectancy are amongst some of those that are significantly worse than England.


Significantly lower than the England average
Significantly higher than the England average
Not significantly different from the England average
Nottingham City Value

England Ward Average
Lower — Higher
25th Percentile
75th Percentile

		Indicator	Ward Value	Eng. Ward Avg	Eng. Lowest Ward	England Ward Range	Eng. Highest Ward
Wider Determinants and Lifestyle	1	Income Deprivation (%)	30.7	14.7	1.1		49.8
	2	Child Poverty (%)	42.7	21.8	1.0		79.8
	3	Unemployment (%)	7.6	3.8	0.3		16.7
	4	Long Term Unemployment (Rate/1,000 working age population)	22.9	10.1	0.0		68.2
	5	Overcrowding (%)	6.5	8.7	0.2		47.7
	6	Provision of 50 hours or more unpaid care per week (%)	4.9	2.4	0.0		7.9
	7	Pensioners living alone (%)	43.8	31.5	11.4		63.3
	8	Older People in Deprivation (%)	35.4	18.1	2.1		82.1
	9	Child Development at age 5 (%)	56.9	63.5	19.1		95.0
	10	GCSE Achievement (5A*-C inc. Eng & Maths) (%)	48.9	58.8	21.0		100.0
	11	Obese Children (Reception Year) (%)	12.0	9.4	2.1		23.6
	12	Obese Children (Year 6) (%)	22.3	19.1	4.0		36.0
Health	13	Low Birth Weight Births (%)	8.9	7.4	1.4		13.8
	14	General Health - bad or very bad (%)	11.4	5.5	0.0		16.7
	15	Limiting long term illness or disability (%)	27.9	17.6	2.2		41.5
	16	Children's and young people's admissions for injury (Crude rate/100,000 aged 0-17)	1229.1	1180.9	412.7		2647.8
	17	Emergency hospital admissions for all causes (SAR)	134.4	100.0	27.2		224.9
	18	Incidence of all cancer (SIR)	108.4	100.0	47.8		146.6
	19	Hospital stays for self harm (SAR)	142.4	100.0	12.3		464.3
	20	Hospital stays for alcohol related harm (SAR)	137.8	100.0	37.2		296.2
Mortality	21	Life expectancy at birth for males (years)	74.7	78.9	67.1		91.3
	22	Life expectancy at birth for females (years)	78.6	82.8	73.9		98.4
	23	Deaths from all causes, all ages (SMR)	121.5	100.0	19.9		279.2
	24	Deaths from all causes, under 75 years (SMR)	171.3	100.0	0.0		286.1


Disease prevalence

As part of the performance management and payment system for GPs (called QoF), GPs keep a record of people with specific diseases such as diabetes, heart disease (CHD), respiratory disease (COPD) and depression. These registers are used to calculate recorded disease prevalence. The data below are taken from QoF 2012/2013. It is important to understand that these figures may be under estimates due to people not presenting to their GP, not being diagnosed or not being recorded.




Diabetes - Type 2 diabetes (the most common type) and obesity are clearly connected – being overweight or obese has been estimated to account for around 65% to 80% of new cases of Type 2 diabetes. The Citizens Survey findings indicate that Bilborough has a significantly higher percentage of overweight and obese residents within Nottingham City and so would be expected to have a lower prevalence of diabetes. Diabetes is linked to many health complications such as heart disease, eye problems, kidney disease and problems with circulation so it is important that it is diagnosed early and managed.

3 of the practices within the Bilborough area have a significantly higher recorded prevalence than the England average; 'Bilborough Surgery' **8.1%** prevalence, 'Beechdale Surgery' **7.5%** prevalence and 'Bilborough Medical Centre' **6.9%** prevalence.




CHD Indicator - Coronary heart disease (CHD) is caused by a build-up of fatty deposits on the walls of the arteries around the heart (coronary arteries). Risk is significantly increased if you smoke, have high blood pressure (hypertension), have a high blood cholesterol level, do not take regular exercise, have diabetes, or are overweight/obese.

2 of the practices within the Bilborough area have a significantly higher recorded prevalence than the England average; 'Bilborough Surgery' **5.6%** prevalence and 'Beechdale Surgery' **4.8%** prevalence.



COPD (respiratory disease) Indicator - COPD is the name for a collection of lung diseases including chronic bronchitis, emphysema and chronic obstructive airways disease. People with COPD have difficulties breathing, primarily due to the narrowing of their airways, this is called airflow obstruction. Smoking is the main cause of COPD. At least four out of five people who develop the disease are, or have been, smokers.

4 of the practices within the Bilborough area have a significantly higher recorded prevalence than the England average; 'Strelley Health Centre' **2.7%** prevalence, 'Bilborough Medical Centre' **2.6%** prevalence, 'Beechdale Surgery' **2.4%** prevalence and 'Aspley Medical Centre' **2.4%** prevalence.



Severe Mental Illness - The register includes all patients with a diagnosis of schizophrenia, bipolar affective disorder and other psychoses. Mental illness can result in high levels of disability, loss of quality of life for patients, their families and carers.

None of the practices within the Bilborough area have a significantly higher recorded prevalence than the England average.

Metadata and contact information

Contact | This ward profile has been prepared by Nottingham City Council's Public Health department which is part of the Early Intervention directorate. To contact the team please email: **publichealth.analysts@nottinghamcity.gov.uk**

Metadata | This ward profile uses a wide variety of data from numerous sources such as the 2011 Census, Nottingham City Council Citizen's Panel 2011-2013, Public Health England's Local Health Portal, Hospital Episode Statistics (HES) Data and Mosaic by Experian. A complete guide to all of the data and sources can be found here: **http://www.nottinghaminsight.org.uk/f/96676/Library/Public-Health/**